EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S17 1	116	"5978791" "6415280"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/30 19:54
S17 2	61	("5978791" or "6415280") and (unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 13:20
S17 3	49	@ad<"20030214" and ("5978791" or "6415280") and (unit)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 13:21
S17 4	19	@ad<"20030214" and ("5978791" or "6415280") and (unit and calculat$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 13:31
S17 5	19	@ad<"20030214" and ("5978791" or "6415280") and (unit and calculat$3) and (hold$3 or provid$3 or operat$3 or object or characteristic$4 or accept$3 or frafment$3 or value or associat$3 or siz$3 or divid$3 or db or database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 14:01
S17 6	19	@ad<"20030214" and ("5978791" or "6415280") and (unit and calculat$3) and (hold$3 or provid$3 or operat$3 or object or characteristic$4 or accept$3 or frafment$3 or value or associat$3 or stor$3 or siz$3 or divid$3 or db or database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 14:02

S17 7	19	@ad<"20030214" and ("5978791" or "6415280") and (unit and calculat$3) and (hold$3 or provid$3 or operat$3 or object or characteristic$4 or accept$3 or fragment$3 or value or associat$3 or stor$3 or siz$3 or divid$3 or db or database or segment$3 or sequen$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 14:09
S17 8	19	@ad<"20030214" and ("5978791" or "6415280") and (unit and calculat$3) and (hold$3 or provid$3 or operat$3 or object or characteristic$4 or accept$3 or fragment$3 or value or associat$3 or stor$3 or siz$3 or divid$3 or db or database or segment$3 or sequen$6 or request$3 or receiv$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 15:21
S17 9	19	@ad<"20030214" and ("5978791" or "6415280") and (unit and calculat$3) and (hold$3 or provid$3 or operat$3 or object or characteristic$4 or accept$3 or fragment$3 or value or associat$3 or stor$3 or siz$3 or divid$3 or db or database or segment$3 or sequen$6 or request$3 or receiv$3 or algorithm or fingerprint or signature)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 15:25
S18 0	19	@ad<"20030214" and ("5978791" or "6415280") and (unit and calculat$3) and (hold$3 or provid$3 or operat$3 or object or characteristic$4 or accept$3 or fragment$3 or value or associat$3 or stor$3 or siz$3 or divid$3 or db or database or segment$3 or sequen$6 or request$3 or receiv$3 or algorithm or fingerprint or signature or primary or secondary or first or second)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 16:11

S18 1	19	@ad<"20030214" and ("5978791" or "6415280") and (unit and calculat$3) and (hold$3 or provid$3 or operat$3 or object or characteristic$4 or accept$3 or fragment$3 or value or associat$3 or stor$3 or siz$3 or divid$3 or db or database or segment$3 or sequen$6 or request$3 or receiv$3 or algorithm or fingerprint or signature or primary or secondary or first or second or directory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 18:21
S18 2	19	@ad<"20030214" and ("5978791" or "6415280") and (unit and calculat$3) and (hold$3 or provid$3 or operat$3 or object or characteristic$4 or accept$3 or fragment$3 or value or associat$3 or stor$3 or siz$3 or divid$3 or db or database or segment$3 or sequen$6 or request$3 or receiv$3 or algorithm or fingerprint or signature or primary or secondary or first or second or directory or client or server or hash$3 or encrypt$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 18:24
S18 3	19	@ad<"20030214" and ("5978791" or "6415280") and (unit and calculat$3) and (hold$3 or provid$3 or operat$3 or object or characteristic$4 or accept$3 or fragment$3 or value or associat$3 or stor$3 or siz$3 or divid$3 or db or database or segment$3 or sequen$6 or request$3 or receiv$3 or algorithm or fingerprint or signature or primary or secondary or first or second or directory or client or server or hash$3 or encrypt$3 or packet$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 19:00

S184	19	@ad<"20030214" and ("5978791" or "6415280") and (unit and calculat$3) and (hold$3 or provid$3 or operat$3 or object or characteristic$4 or accept$3 or fragment$3 or value or associat$3 or stor$3 or siz$3 or divid$3 or db or database or segment$3 or sequen$6 or request$3 or receiv$3 or algorithm or fingerprint or signature or primary or secondary or first or second or directory or client or server or hash$3 or encrypt$3 or packet$4 or tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 19:14
S185	0	@ad<"20030214" and ("20040199570") and (unit and calculat$3) and (hold$3 or provid$3 or operat$3 or object or characteristic$4 or accept$3 or fragment$3 or value or associat$3 or stor$3 or siz$3 or divid$3 or db or database or segment$3 or sequen$6 or request$3 or receiv$3 or algorithm or fingerprint or signature or primary or secondary or first or second or directory or client or server or hash$3 or encrypt$3 or packet$4 or tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 19:35
S186	1	("20040199570") and (unit and calculat$3) and (hold$3 or provid$3 or operat$3 or object or characteristic$4 or accept$3 or fragment$3 or value or associat$3 or stor$3 or siz$3 or divid$3 or db or database or segment$3 or sequen$6 or request$3 or receiv$3 or algorithm or fingerprint or signature or primary or secondary or first or second or directory or client or server or hash$3 or encrypt$3 or packet$4 or tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 19:36
S187	18	@ad<"20030214" and ("20020052884" or "5978791" or "6415280" or "7222139" or "6810398" or "7284243") and (fragment$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 20:23

S18 8	37	@ad<"20030214" and ("20020052884" or "5978791" or "6415280" or "7222139" or "6810398" or "7284243" or "6453319" or "6947944" or "6289358" or "6209003" or "6757717" or "6292880" or "7032114") and (fragment$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 20:39
S18 9	183	@ad<"20030214" and ("20020052884" or "5978791" or "6415280" or "7222139" or "6810398" or "7284243" or "6453319" or "6947944" or "6289358" or "6209003" or "6757717" or "6292880" or "7032114") and (fragment$5 or hold$3 or provid$3 or operat$3 or object or characteristic$4 or accept$3 or value or associat$3 or stor$3 or siz$3 or divid$3 or db or database or segment$3 or sequen$6 or request$3 or receiv$3 or algorithm or fingerprint or signature or primary or secondary or first or second or directory or client or server or hash$3 or encrypt$3 or packet$4 or tree or digest)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 20:41
S19 0	183	@ad<"20030214" and ("20020052884" or "5978791" or "6415280" or "7222139" or "6810398" or "7284243" or "6453319" or "6947944" or "6289358" or "6209003" or "6757717" or "6292880" or "7032114") and (fragment$5 or hold$3 or provid$3 or operat$3 or object or characteristic$4 or accept$3 or value or associat$3 or stor$3 or siz$3 or divid$3 or db or database or segment$3 or sequen$6 or request$3 or receiv$3 or algorithm or fingerprint or signature or primary or secondary or first or second or directory or client or server or hash$3 or encrypt$3 or packet$4 or tree or digest or access$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 20:42

| S19 1 | 104 | @ad<"20030214" and ("20020052884" or "5978791" or "6415280" or "7222139" or "6810398" or "7284243" or "6453319" or "6947944" or "6289358" or "6209003" or "6757717" or "6292880" or "7032114") and (fragment$5 or segment$3 or packet$4) and (hold$3 or provid$3 or operat$3 or object or characteristic$4 or accept$3 or value or associat$3 or stor$3 or siz$3 or divid$3 or db or database or sequen$6 or request$3 or receiv$3 or algorithm or fingerprint or signature or primary or secondary or first or second or directory or client or server or hash$3 or encrypt$3 or tree or digest or access$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/31 20:48 |
| S19 2 | 49 | @ad<"20030214" and ("20020052884" or "5978791" or "6415280" or "7222139" or "6810398" or "7284243" or "6453319" or "6947944" or "6289358" or "6209003" or "6757717" or "6292880" or "7032114") and directory and (fragment$5 or segment$3 or packet$4) and (hold$3 or provid$3 or operat$3 or object or characteristic$4 or accept$3 or value or associat$3 or stor$3 or siz$3 or divid$3 or db or database or sequen$6 or request$3 or receiv$3 or algorithm or fingerprint or signature or primary or secondary or first or second or client or server or hash$3 or encrypt$3 or tree or digest or access$4 or hierarchical) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/31 20:58 |

S19 3	49	@ad<"20030214" and ("20020052884" or "5978791" or "6415280" or "7222139" or "6810398" or "7284243" or "6453319" or "6947944" or "6289358" or "6209003" or "6757717" or "6292880" or "7032114") and directory and (calculat$3 or algorithm or generat$3) and (fragment$5 or segment$3 or packet$4) and (hold$3 or provid$3 or operat$3 or object or characteristic$4 or accept$3 or value or associat$3 or stor$3 or siz$3 or divid$3 or db or database or sequen$6 or request$3 or receiv$3 or fingerprint or signature or primary or secondary or first or second or client or server or hash$3 or encrypt$3 or tree or digest or access$4 or hierarchical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 21:05
S19 4	49	@ad<"20030214" and ("20020052884" or "5978791" or "6415280" or "7222139" or "6810398" or "7284243" or "6453319" or "6947944" or "6289358" or "6209003" or "6757717" or "6292880" or "7032114") and directory and (calculat$3 or algorithm or generat$3) and (fragment$5 or segment$3 or packet$4) and (hold$3 or provid$3 or operat$3 or object or characteristic$4 or accept$3 or value or associat$3 or stor$3 or siz$3 or divid$3 or db or database or sequen$6 or request$3 or receiv$3 or fingerprint or signature or primary or secondary or first or second or client or server or hash$3 or encrypt$3 or tree or digest or access$4 or hierarchical or attribut$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/31 21:09

| S195 | 59 | @ad<"20030214" and ("20020052884" or "5978791" or "6415280" or "7222139" or "6810398" or "7284243" or "6453319" or "6947944" or "6289358" or "6209003" or "6757717" or "6292880" or "7032114" or (terao).in. or (farber).in.) and directory and (calculat$3 or algorithm or generat$3) and (fragment$5 or segment$3 or packet$4) and (hold$3 or provid$3 or operat$3 or object or characteristic$4 or accept$3 or value or associat$3 or stor$3 or siz$3 or divid$3 or db or database or sequen$6 or request$3 or receiv$3 or fingerprint or signature or primary or secondary or first or second or client or server or hash$3 or encrypt$3 or tree or digest or access$4 or hierarchical or attribut$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/01/31 21:10 |
| S196 | 28 | @ad<"20030214" and ("20020052884" or "5978791" or "6415280" or "7222139" or "6810398" or "7284243" or "6453319" or "6947944" or "6289358" or "6209003" or "6757717" or "6292880" or "7032114" or (terao).in. or (farber).in.) and directory and (calculat$3 or algorithm or generat$3) and (fragment$5 or segment$3 or packet$4) and (hold$3 or provid$3 or operat$3 or object or characteristic$4 or accept$3 or value or associat$3 or stor$3 or divid$3 or db or database or sequen$6 or request$3 or receiv$3 or fingerprint or signature or primary or secondary or first or second or client or server or encrypt$3 or tree or digest or access$4 or hierarchical or attribut$3) and hash$3 and (length or siz$3) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2008/02/01 13:39 |

S19 7	3	09/777,150	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 13:45
S19 8	9	"6704730" and @ad<"20030214" and (hash$3 associat$3 calculat$3 algorithm accept$3 client server process$3 stor$3 db database fragment siz$3 length packet segment sequen$6 primary second$3 first divid$3 value)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:15
S19 9	9	"6704730" and @ad<"20030214" and (hash$3 associat$3 calculat$3 algorithm accept$3 client server process$3 stor$3 db database fragment siz$3 length packet segment sequen$6 primary second$3 first divid$3 value directory)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 14:47
S20 0	37	(US-20020129168-$ or US-20020087729-$ or US-20060059254-$ or US-20030005047-$ or US-20030105811-$ or US-20020186660-$ or US-20030142669-$ or US-20030097320-$ or US-20010049732-$ or US-20020169885-$ or US-20020111996-$ or US-20020062388-$ or US-20020052884-$).did. or (US-6504824-$ or US-5339411-$ or US-7117227-$ or US-7012893-$ or US-5987510-$ or US-7031314-$ or US-6820125-$ or US-6249844-$ or US-5822524-$ or US-6167436-$ or US-7284243-$ or US-6810398-$ or US-7222139-$ or US-5978791-$ or US-6415280-$ or US-6453319-$ or US-6947944-$ or US-6289358-$ or US-6209003-$ or US-6757717-$ or US-6292880-$ or US-7032114-$ or US-6629132-$ or US-7020665-$).did.	US-PGPUB; USPAT	OR	ON	2008/02/01 15:59
S20 1	12	S200 and @ad<"20030214" and (repetative$2 or reapeat$3 or loop$3)	US-PGPUB; USPAT	OR	ON	2008/02/01 16:01

S20 2	25	S200·and @ad<"20030214" and (repetative$2 or reapeat$3 or loop$3 or count$3 or increment$3 or decrement$3)	US-PGPUB; USPAT	OR	ON	2008/02/01 16:07
S20 3	31	S200 and @ad<"20030214" and (fix$3 or predetermin$3 or pre-determin$3)	US-PGPUB; USPAT	OR	ON	2008/02/01 16:44
S20 4	32	S200 and @ad<"20030214" and ((fix$3 or predetermin$3 or pre-determin$3) with siz$3 or length$5 or long)	US-PGPUB; USPAT	OR	ON	2008/02/01 16:44
S20 5	22	S200 and @ad<"20030214" and ((fix$3 or predetermin$3 or pre-determin$3) with (siz$3 or length$5 or long))	US-PGPUB; USPAT	OR	ON	2008/02/01 16:55
S20 6	11	S200 and @ad<"20030214" and (second$3 near4 (hash$3 or value))	US-PGPUB; USPAT	OR	ON	2008/02/01 17:27
S20 7	28	S200 and @ad<"20030214" and (client same server)	US-PGPUB; USPAT	OR	ON	2008/02/01 18:03
S20 8	4	S200 and @ad<"20030214" and ((client same server) same ((generat$3 or creat$3 or calculat$3) same (hash$3 or fingerprint)))	US-PGPUB; USPAT	OR	ON	2008/02/01 18:28
S20 9	59	@ad<"20030214" and ("20020052884" or "5978791" or "6415280" or "7222139" or "6810398" or "7284243" or "6453319" or "6947944" or "6289358" or "6209003" or "6757717" or "6292880" or "7032114" or (terao).in. or (farber).in.) and directory and (calculat$3 or algorithm or generat$3) and (fragment$5 or segment$3 or packet$4) and (hold$3 or provid$3 or operat$3 or object or characteristic$4 or accept$3 or value or associat$3 or stor$3 or siz$3 or divid$3 or db or database or sequen$6 or request$3 or receiv$3 or fingerprint or signature or primary or secondary or first or second or client or server or hash$3 or encrypt$3 or tree or digest or access$4 or hierarchical or attribut$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/01 18:54

S21 0	3	@ad<"20030214" and ("20020052884" or "7284243" or "20030105811") and (stor$3 object calculat$3 hash$3 client value divid$3 sequen$6 siz$3 determin$3 predetermin$3 pre-determin$3 fragment$3 packet segment$3 second$3 hold$3 process$3)	US-PGPUB; USPAT	OR	ON	2008/02/02 19:41
S21 1	3	@ad<"20030214" and ("20020052884" or "7284243" or "20030105811") and (siz$3 larg$2 small$2 big$3 less greater)	US-PGPUB; USPAT	OR	ON	2008/02/02 20:42